

FabLite Essential FL-E-10-04 Straight

FL-E-10-04-S

FabLite is a collection of sophisticated, ergonomically designed exhibit booths. FabLite combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the FabLite line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



features and benefits:

- State-of-the-art 30mm aluminum tube frame with snap button assembly
- Available as either single-sided or double-sided units
- Easy to store and ship
- Quick to set up
- Kit includes: one frame, one pillowcase graphic and one wheeled molded storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware

Assembled unit:
116.69" w x 92" h x 17.72" d
2964mm(w) x 2337mm(h) x 450mm(d)

Approximate weight (includes graphic):
36 lbs / 16 kgs

Shipping

Shipping dimensions:
1 OCL case:
56" l x 19" h x 19" d
1422mm(l) x 483mm(h) x 483mm(d)

Approximate shipping weight (with case):
56 lbs / 25 kgs

Graphic

Refer to related graphic template for more information.

Visit:
www.exhibitors-handbook.com/graphic-templates

Included In Your Kit

Tools, Components, & Connectors



6MM HEX KEY x1



LN114-SCRW x2



WS10-T1 x2



WS10-T2 x6



WS10-T4 x1




WS10-T5 x1



WS10-T6 x1



WS10-T7 x1




TC-30-90T x2



PLT-BP-LN114-S2-450 x2


Graphics



FL-E-10-01-S-G x1


Exploded View

FL-E-10-04-S




Labeling Diagram

FL-E-10-04-S




Connection Methods

Connection Method 1: SNAP BUTTONS




For snap button connections, locate the snap button on the connector or swage tube. Locate the hole on the corresponding tube. Press the snap button with your thumb and slide the tube and connector together so that the snap button snaps fully into the lock hole. To disassemble, press the snap button and pull apart.

Connection Method 2: PLT-BP-LN114-S5-450



Join the frame to the stabilizing bases. Fasten the screw carefully using your allen key tool. Be sure to fasten securely, but do not overtighten.

Connection Method 3: TC-30-90T



Compress one unlocked end of the connector and slide it through one tube end. Compress the other end of the connector and slide the second tube on. Lock both screws carefully using your allen key tool. Be sure to lock securely, but do not over tighten.



Kit Assembly

Step by Step

Step 1.



Gather the components necessary for assembling the frame. Assemble in the order the Labeling Diagram instructs.

Please reference Connection Method 2 for more details.



Step 2.



Locate your pillowcase graphic. With the pillowcase unzipped, encase the frame by covering the frame from top to bottom. Zipper at the bottom.



Step 3.

Locate the stabilizing bases and screws; attach them to the bottom of the frame. Use the provided allen key tool to secure and fasten.

Setup Complete.



Stand-off Multi Shelf Ladder

FLA-02

FabLite® accents enhance the functionality of any 10ft or 20ft backwall and add more real estate for messaging too! You are sure to find the accent that best fits your needs with monitor supports, literature pockets, shelves, tables, counters and more. Side tables and graphic headers are also available.



features and benefits:

- State-of-the-art brushed 30mm aluminum tube frame with snap button assembly
- Includes three 20" wide shelves available in four laminate color options
- Easy to store and ship
- Kit includes: one frame, two printed infill panel graphics, stand-off shelves, and one wheeled molded OCH2 storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware

Assembled unit:
23.6" w x 92.7" h x 26.6" d
668mm(w) x 2355mm(h) x 676mm(d)

Shelf dimensions (each):
20.47" w x 11.81" d

Approximate weight (includes graphics):
24 lbs / 10.88 kgs

Shipping

Shipping dimensions:
1 OCH2 case: 52" l x 30" w x 15" h

Approximate shipping weight (with case):
54 lbs / 24.5 kgs

additional information:

Graphic material:
3mm white pvc

Shelves holds max 10 lbs /4.5 kgs each



Table colors:





silver black mahogany natural

Parts Included – Ladder


Part Label	Qty	Part Code
520 X 300 X 30 COUNTER	x3	CTWL
PARALLEL TUBE CLAMP FOR 30MM TUBES	x2	TCP-3030
30MM TUBE SECTION	x2	WL-T3
TOP SINTRA GRAPHICS	x2	WLLH-T-G
30MM TUBE SECTION	x1	WL-T5
30MM TUBE SECTION	x1	WL-T6
30MM TUBE SECTION	x1	WL-T4




STEP 1: ASSEMBLE LADDER FRAME



STEP 2: ATTACH SHELVES



STEP 3: ATTACH GRAPHICS



STEP 4: ATTACH TO BACKWALL WITH CLAMPS

