FabLite Tension Fabric
FL-TF-2020-02

TEMPLATE @ 1/2 SIZE

Graphic A and E (Side Towers)
(2) prints to make (1) structure
Total Graphic Area: 49"w x 99"h
Finished Graphic Area: 45"w x 95"h

Graphic B, D, F and G (Ovals)
Total Graphic Area: 61"w x 17"h
Finished Graphic Area: 60"w x 16"h

Graphic C (Center Tower)
(2) prints to make (1) structure
Total Graphic Area: 120"w x 148"h
Finished Graphic Area: 116"w x 144"h

Please be sure to include 2" bleed around the perimeter of graphic A, C and E panels.

Please be sure to include .5" bleed around the perimeter of graphic B, D, F and G panels.

Please consider obstructions when designing your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi at 1/4 size, 100-120 ppi at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



Chip:
Chip Wall 01 Double Sided

TEMPLATE IS @ 1/2 SIZE
(2) prints create one double-sided structure
Inside Dimension
Total graphic area: 178”w x 107”h
Total visual area: 168”w x 97”h

Outside Dimension
Total graphic area: 186”w x 107”h
Total visual area: 176”w x 97”h

Please be sure to include a 5” bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2” of the edge (gray area is recommended safe area).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

INSIDE

OUTSIDE

bleed area
trim line
safe area

FabLite Designer Oval Counter
FLA-OC



(2) prints create one structure
Total Graphic Area: 54”w x 39.424”h
Total Finished Area: 50”w x 35.424”h

Please do not design any critical elements on the curved portions of the panel.

Please be sure to include a 2” bleed around the perimeter. DO NOT design any critical elements (text, logos, etc.) within 2” of the edge (gray area is recommended safe area).

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

SIDE 1

bleed area
trim line
safe area

SIDE 2

bleed area
trim line
safe area