


PARTS LIST


ITEM	QTY	PART #	DESCRIPTION
B	2	MDBSB	FRAME SECTION, MEDALLION LEG, W/CRIMP VISUAL SIZE 33.125, ACTUAL SIZE 34.625
C	5	MDBSC	FRAME SECTION, MEDALLION W/CRIMP VISUAL SIZE 24 , ACTUAL SIZE 25.5
D	1	MDBSD	FRAME SECTION, MEDALLION 92 DEGREE CORNER W/CRIMP
E	1	MDBSE	FRAME SECTION, MEDALLION VISUAL SIZE 17.25" ACTUAL SIZE 17.25
F	1	MDBSF	FRAME SECTION, MEDALLION W/CRIMP VISUAL SIZE 17.25" ACTUAL SIZE 18.75"
G	1	MDBSG	FRAME SECTION, MEDALLION 102 DEGREE CORNER W/CRIMP
J	2	MDBSJ	FRAME SECTION, ARC MEDALLION W/CRIMP VISUAL SIZE 24.04 ACTUAL SIZE 25.54"
M	1	MDBSM	FRAME SECTION, ARC MEDALLION VISUAL SIZE 18.28" ACTUAL SIZE 18.28"
FF	2	MDBSFF	BASE PLATE, MEDALLION 12" X 24" W/STUD




ATTENTION:
SOME PARTS ARE BUNGEEED
TOGETHER, DO NOT CUT CORD

ASSEMBLY:

- 1) ASSEMBLE FRAME
- 2) STRETCH FABRIC GRAPHIC OVER
FRAME FROM THE TOP DOWN
MAKING SURE GRAPHIC IS ORIENTATED
CORRECTLY AND ZIPPER IS AT BOTTOM
- 3) STAKE COMPLETED FRAME ON STUDS
OF PREPOSITIONED BASE PLATES
- 4) ATTACH ACCESSORIES





ASSEMBLY:

- 1 - ASSEMBLE GRAPHIC FRAME
- 2 - STRETCH FABRIC GRAPHIC OVER FRAME FROM THE TOP DOWN MAKING SURE GRAPHIC IS ORIENTATED CORRECTLY
- 3 - PLUG BOTTOM MONITOR MOUNT SECTION INTO BASE PLATES
- 4 - SET FABRIC GRAPHIC ONTO MONITOR STAND, SETTING BOTTOM INTO CATCH ON THE KEEPER PLATE
- 5 - FASTEN MONITOR MOUNT TO TOP WITH 1/4-20 SPADEHEAD THUMB SCREWS
- 6 - PLUG TOP EXTRUSION INTO BOTTOM EXTRUSION
- 7 - ATTACH MONITOR

